Necessity for comprehensive epilepsy care: experience from Croatia

Ivan Bielen, MD, PhD

Clinical Hospital "Sveti Duh", Zagreb

Croatian Association for Epilepsy, Chapter of IBE

epilepsy care in Croatia

specialized epilepsy services in all bigger hospitals

epilepsy presurgical evaluation

epilepsy surgery

bi-annual national symposia on epilepsy

Methylphenobarbital
Phenobarbital
Primidone
Phenytoin
Ethosuximide
Carbamazepine
Oxcarbazepine
Sodium valproate
Clonazepam

Vigabatrin
Lamotrigine
Topiramate
Gabapentin
Pregabalin
Levetiracetam
Retigabine

Epilepsy – only a seizure disorder?

ILAE and IBE, **2005**:

Epilepsy is a disorder of the brain characterized by an enduring predisposition to generate epileptic seizures and by the neurobiologic, cognitive, psychosocial, and social consequences of this condition.

- underemployment
- driving licence denial
- perceived stigma
- enacted stigma
- **❖** concealment

- depression
- anxiety
- cognitive problems
- lower fertility
- pregnancy problems
- associated medical
- disorders
- adverse drug reactions


Epilepsy associated problems need a multidisciplinary approach.

Multiple impairments in preschool children

Table 1 – Frequency	of impairments	in children with
epilepsy ($N = 116$).	_	

		Number	%
Without any		51	44.0
impairment			
One or two		28	24.1
impairments			
Multiple impairments		37	31.9
Kind of impairment	Mental retardation	46	39.7
	Impairment of motor	54	46.6
	functions		
	Impairment of speech	49	42.2
	Impairment of seeing	17	14.7
	Impairment of hearing	11	9.5

Chidren with epilepsy: holistic and multidisciplinary approach



Significant proportion of preschool children is still not provided with necessary care

Table 2 - Differences in staying during weekdays between children without any and with one or more as	ssociated
impairments.	

	Total (N = 114) ^a	Without any impairment (N = 51)	One or more impairments (N = 63)	Difference
Stay with their families	81 (71.1%)	33 (64.7%)	48 (76.2%)	p = 0.26
Attend regular kindergartens	23 (20.2%)	17 (33.3%) ^b	6 (9.5%)	p < 0.01
Attend the kindergartens for children with special needs	4 (3.5%)	0	4 (6.3%)	p = 0.14
Permanently live in social institutions	5 (4.4%)	1 (2%)	4 (6.3%)	p = 0.13
Stay in social institutions only during weekdays	1 (0.9%)	0	1 (1.6%)	p = 0.25

a 2/116 children (1.7%) were not included due to insufficient data about their staying.

b According to the information from the Central Bureau of Statistics of the Republic of Croatia, the attendance rate of kindergartens was 29.7%. ²⁰

underemployment
driving licence denial
depression
epilepsy stigma

unemployment rate almost 3 times higher than in general poulation

Population expected to be occupationally active (19-65 years,	n = 546)
Completing education/training, or retired	9.3%
Employed	32.7%
Unemployed	29.6%
Unemployment rate*	47.5%
Occupationally disabled	28.4%
Missing data	29/546 (5.3%)

underemployment
driving licence denial
depression
epilepsy stigma

Rates of driving motor vehicles of PWE.

	1999 (N = 277)	2009 (N=317)	Difference
Nondrivers	160 (57.8%)	160 (50.5%)	NS
Drivers Licensed Not licensed	105 (37.9%) ————————————————————————————————————	→ 151 (47.6%) 6 (1.9%)	P<0.05 NS

about 60% seizure- free for previous 2 years

Bielen, Hajnšek, Krmpotić, et al. Epilepsy & Behavior 2011; 21: 459–461

underemployment driving licence denial depression epilepsy stigma

BDI (Beck Depression Inventory): depressive symptoms in 33,3% patients

Hečimović H, Bosnjak J, Demarin V. Coll Antropol 2008

BDI-II— 2nd Edition)

depression	score	N (%)		N = 120
No/minimal	< 14	72 (60)	60 %	BDI-II: í
mild	14-19	12 (10)	40 %	
moderate	20-28	20 (16)		
severe	> 29	16 (13)		

 $13,6 \pm 12,1$

Bielen I, Sušak R, Čandrlić M, Jurić S, et al. 9th Croatian Symposium on Epilepsy, Split 2010

underemployment driving licence denial depression epilepsy stigma

Because of my attacks:

- a) I feel some people are uncomfortable with me
- b) I feel some people treat me like an inferior person
- c) I feel some people would prefer to avoid me


Taylor J, Baker G, Jacoby A. Epilepsy Behavior 2011; 21; 255-60

N = 310

mild to moderate stigma	136 (45%)
severe stigma	23 (8%)
Total	159(53%)


Bielen I, Hajnšek S, Sušak R, Planjar M, Petelin Ž, Čandrlić M, Dogan D, Sruk A, Friedrich L. 10th Croatian Symposium on Epilepsy, Opatija 2012

underemployment driving licence denial depression epilepsy stigma




- underemployment
- driving licence denial
- perceived stigma
- enacted stigma
- **❖** concealment

- depression
- anxiety
- cognitive problems
- ❖lower fertility
- pregnancy problems
- associated medical disorders
- adverse drug reactions



> Public-oriented activities



Croatian IBE and ILAE Chapters in collaboration:

National Epilepsy Day, European Epilepsy Day, "Purple Day":

radio and TV shows articles in papers and magazines public lectures

Stand up for epilepsy!




> Public-oriented activities

Croatian Epilepsy Association (IBE Chapter) web site and facebook

www.epilepsija.hr: about 2000 individual visits/month

facebook: 14,405 people saw our most popular post





Sample of college-preparatory high school students


Table 3 Comparison of attitudes toward PwE in 2002 and 2010.

Positive attitudes	Year 2002 N=227% respondents	Year 2010 N=203% respondents	Statistical difference
Playing with children with epilepsy	97.4	98.0	p = NS
Marrying a PwE	86.3	94.1	p < 0.05
Possibility of performing most jobs	68.1	82.8	p < 0.05 p < 0.01

founding of epilepsy counselling services


Staff not clearly defined:

young physicians, social workers, specially trained nurses



Internet counselling

Croatian IBE Chapter www.epilepsija. hr



Internet counseling

- •about 50% of adult epilepsy patients use the Internet
- •about 2/3 of users seek medical information on the Internet

Internet utilization among neurological patients (%)

100 N = 24490 80 70 60 50 40 30 20 10 18-25 26-35 36-45 46-55 56-65 66-75 76-85 85+

Bielen I, Friedrich L, Sruk A, et al. Croatian congress on dillemas in neurology, Šibenik 2012

epilepsy children summer support camps

20-25 children 8 - 17 years

- educational activities
- workshops
- outdoor activities

2009: Fužine (continental Croatia)

2010-2013: Selce (seaside)





Some summer camp goals:

exchanging experiences with other children




Some summer camp goals:

improving socialisation



Some summer camp goals:

to abandon prejudices and strengthen self-steem



In conclusion:

People with epilepsy need comprehensive care and often multidisciplinary rehabilitation

Programs for structured comprehensive epilepsy care in Croatia should be created.

Development of counselling services and interactive internet-based counselling may be important steps towards a holistic approach to people with epilepsy.